Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended)A multi-functional sailboard comprising:

a buoyant body having a longitudinal axis and oppositely spaced bow and stern sections, said body including a seating section integral with said bow section and extending rearwardly therefrom along a path substantially parallel to the axis and ending generally medially between the bow and stern sections, said body further including a dagger extending downwardly therefrom;

a mast section connected to said bow section of said body and being movable in a substantially linear direction between raised and lowered positions, said mast section comprising

an elongated stationary mast,

an elongated movable mast disposed proximate to said stationary mast.

a plurality of clamps for slidably coupling said movable mast to said stationary mast, and

a sail comprising means for selectively maintaining said mast section at a substantially stable position;

a back rest extending upwardly from said body and being disposed adjacent said seating section for allowing a user to lean thereagainst during operating conditions; and

a sculling section secured to said stern <u>section</u> of said body and for assisting a user to steer said sailboard, said sculling section comprising

a traveler secured to said body and including a bar extending thereacross at an elevated position, and

a rudder having oppositely disposed gripping and tiller portions and comprising a bearing member for operably maneuvering said rudder about said stern

section of said sailboard so that a user can steer said tiller portion of said rudder by selectively moving said gripping portion under said traveler bar.

- 2. (Currently amended)The multi-functional sailboard of claim 1, wherein said mast section maintaining means comprises:
- a flexible halyard for hoisting and lowering said sail and being secured to said movable mast; and
- a cleat member having a pair of outwardly projecting horns about which said halyard may be wrapped so that said mast section can be maintained at a substantially stable position.
- 3. (Currently amended)The multi-functional sailboard of claim 42, wherein said mast section maintaining means further comprises:
- a Velcro member <u>hook and loop fastener is</u> attached to said sail for assisting to lower said sail secured to said movable mast.
- 4. (Original)The multi-functional sailboard of claim 1, wherein said sculling section further comprises:
- a helical spring member having opposed end portions connected to said rudder and to said back rest for causing said rudder to return to a central position after being moved to a lateral position.
 - 5. (Canceled)
- 6. (Original)The multi-functional sailboard of claim 1, wherein said back rest comprises:
- a plurality of vertically oriented support members for suspending said back rest at a predetermined height; and
- a plurality of cleats for maintaining a rear portion of said sail at a predetermined position.

7. (Currently amended)The multi-functional sailboard of claim 5, wherein said sculling section further comprises:

an eye clip secured to said body and adjacent said stern section; and a cord having opposed end portions connected to said eye clip and to said rudder to thereby twist said youloh for providing a sculling action.

8. (Currently amended)A multi-functional sailboard comprising:

a buoyant body having a longitudinal axis and oppositely spaced bow and stern sections, said body including a seating section integral with said bow section and extending rearwardly therefrom along a path substantially parallel to the axis and ending generally medially between the bow and stern sections, said body further including a dagger extending downwardly therefrom;

a mast section connected to said bow section of said body and being movable in a substantially linear direction between raised and lowered positions, said mast section comprising

an elongated stationary mast,

an elongated movable mast disposed proximate to said stationary mast.

a plurality of clamps for slidably coupling said movable mast to said stationary mast, and

a sail comprising means for selectively maintaining said mast section at a substantially stable position;

a back rest extending upwardly from said body and being disposed adjacent said seating section for allowing a user to lean thereagainst during operating conditions; and

a sculling section secured to said stern <u>section</u> of said body and for assisting a user to steer said sailboard, said sculling section comprising

a traveler secured to said body and including a bar extending thereacross at an elevated position, said traveler for allowing a pulley to glide from slide-to-slide for maintaining said sail at a select position, and

a rudder having oppositely disposed gripping and tiller portions and comprising a bearing member for operably maneuvering said rudder about said

stern section of said sailboard so that a user can steer said tiller portion of said rudder by selectively moving said gripping portion under said traveler bar, and a helical spring member having opposed end portions connected to said rudder and to said back rest for causing said rudder to return to a central position after being moved to a lateral position.

- 9. (Currently amended)The multi-functional sailboard of claim 8, wherein said mast section maintaining means comprises:
- a flexible halyard for hojsting and lowering said sail and being secured to said movable mast; and
- a cleat member having a pair of outwardly projecting horns about which said halyard may be wrapped so that said mast section can be maintained at a substantially stable position.
- 10. (Currently amended)The multi-functional sailboard of claim 89, wherein said mast section maintaining means further comprises:
- a Veloro member <u>hook and loop fastener is</u> attached to said sail for assisting to maintain said sail secured to said movable mast.

11. (Canceled)

- 12. (Original)The multi-functional sailboard of claim 8, wherein said back rest comprises:
- a plurality of vertically oriented support members for suspending said back rest at a predetermined height; and
- a plurality of cleats for maintaining a rear portion of said sail at a predetermined position.
- 13. (Currently amended)The multi-functional sailboard of claim 11, wherein said sculling section further comprises:

an eye clip secured to said body and adjacent said stern section; and a cord having opposed end portions connected to said eye clip and to said rudder to thereby allow a sculling action of said youloh.